



SOUTH CAROLINA ASSOCIATION OF NATURALISTS

SCAN

PO Box 24911
Columbia, SC 29224
www.scnaturalists.org

SEPTEMBER 2025

Hi SCANners!

August's trip to H. Cooper Black Memorial Field and Trial Recreation Area (and State Park!) in Chesterfield County was full of surprises. We started off with introductions and Bobwhite Quail calling in the background! Most SCANners headed down to one of the three ponds on the property – Mallard Pond – where bog plants flourished and dragonflies abounded. After spending a goodly amount of time there, the large group split into a number of smaller groups to walk the extensive property of trails, roads, and ponds. Birding was a bit sparse (although there was a remarkable viewing of the Bobwhite) but botanizing and bugwatching were successful.

This month we are visiting Historic Brattonsville and Draper WMA in York County. While we have missed the amazing sunflower fields in bloom at Draper, there are trails and ponds to explore in this cooler weather. Bring your Orange; it is hunting season. Historic Brattonsville has the Walt Schrader Trails, over eight miles of trails for exploring. Come prepared - there is a \$12 entrance fee. Please join us!

On a different note – October's Organizational Meeting is in the works. This is when we make trip plans for the following year. Everyone is invited, so look for an email with the date and Zoom link. Also, we will be sending out a brief survey within the next two weeks, so please take a couple of minutes to respond.

Happy trails!

Lee Morris, President

LAST MONTH: H. Cooper Black Jr. Memorial Field Trial & Recreation Area State Park

For August, SCAN soodled East to Chesterfield County to visit the only SC State Park (excluding pending new additions) that SCAN has never visited: H. Cooper Black Jr. Memorial Field Trial & Recreation Area. Now that's a mouthful! It was also full of biodiversity! When we gathered by the kiosk, I was a bit dismayed to find ourselves standing in a sea of non-native grasses and exotic weeds. A perfect sight for a horse but a horrendous scene to a botanist. But as we ventured beyond the horse corrals and parking spaces, we found along the fringes and bottoms of the property a great diversity of native plants, mainly a wonderful array of Sandhill endemics. A particular highlight for the party I tagged along with was encountering a bold and boisterous Northern Bobwhite that proceeded to saunter between Scott's feet, hop up in a Sand Post Oak, and whistle and holler his little heart out for a good 10 minutes in full view of us all. What a magical scene that was! For a final cherry on top, I spotted a healthy-looking Timber Rattlesnake jaywalking on the outskirts of the property.

Tom Austin, Database Manager & Southern Region Director



Attendees: Dave Schuetrum, Nancy Adamson, Scot Wietecha, Lee Morris, Jim Boylston, Sharon Yomtob, Tom Austin, Caroline Eastman, Carol Gist, and Todd Johnston

Photos from H. Cooper Black Jr. Memorial Field Trial & Recreation Area (State Park)



American Cochineal Bugs (*Dactylopius coccus*) on Eastern Prickly-Pear (*Opuntia humifusa*)



Swamp Tupelo (*Nyssa biflora*)



Pink Sundew (*Drosera capillaris*)



Blue Dasher (*Pachydiplax longipennis*)



Gold Dust Lichen (*Chrysothrix* sp.)



American Beautyberry (*Callicarpa americana*)



Grassleaf Roseling (*Callisia graminea*)



Hanging Thieves (*Diogmites crudelis*) hanging out.



Hickory Tube Gall Midge (*Caryomyia tubicola*)



Bobwhite (*Colinus virginianus*) just a whistlin' his heart out.



Woolly Bee Fly (*Systoechus* sp.) on Sandhill Thistle (*Cirsium repandum*)



Rainbow Scarab (*Phanaeus vindex*)

Historic Brattonsville and Draper WMA

York County, SC
1080 Draper Rd, McConnells, SC 29726
Parking Loop (meeting location) 34.872459, -81.1885610
Saturday September 27th | 10:30AM ~ 4:30PM

WEAR ORANGE!!! Entry charge \$12 @ HB

The September gathering will commence at Draper WMA where we will meet at the parking loop. Where we go from there will depend on the amount of other cars in the parking lot as it is hunting season in many of our WMAs. Please wear orange as it may be worth exploring the WMA along the main trail. If we experience a large number of hunters, we can head over to Historic Brattonsville. If we end up at Historic Brattonsville, there is an entry fee of \$12 per person. There are no facilities at Draper but there are restrooms at Brattonsville.

The properties we are visiting were settled in 1766 by the Bratton family. Later, R.Fisher Draper purchased both properties from Bratton descendants in 1958. He then sold the land that would become Draper and Brattonsville to York County in 1994.

Draper is 806 acres and is best known for its Sunflower fields. There are three stocked ponds for fishing, and the sunflower fields are managed for dove hunting. Luckily for us, there are a series of rough trails that navigate Draper WMA. There are a variety of pines, including Virginia Pine, and hardwoods on the property. However, almost half the acreage is open and takes the form of the ponds, fields and right-of-way. There is a stream feeding into Love Creek pacing through the property west of the youth dove field but was running nearly dry during my visit. Love Creek forms the lower southwest and southern border for much of the WMA. The general loop into the property is just under three miles but there are lots of spurs off the main loop and an adventure could be made of just walking near the two main ponds.

Historic Brattonsville presents living history on the historic grounds from 10am-4pm. Highlights include the battleground of Huck's Defeat, period farming and cooking, and an enslaved ancestral burial ground. For our purposes, there is a 7.5-mile network of trails named after Walt Schrader. Walt advocated for environment and the ability for people to have access to the recreational opportunities the areas provide. The network's shortest loop is less than a quarter mile and the longest is around four miles. They pass by ponds, fields and forests along the hills of the Piedmont.

Directions:

1080 Draper Rd, McConnells, SC 29726
Parking Loop (meeting location) 34.872459, -81.1885610

- Take exit 55 off I-77 for SC-97N towards Chester.
- Follow until it joins SC 321 N/Columbia Rd approaching Chester, SC.
- Continue on 321 N until McConnells and then take a right on SC-322 E.
- After 2.5 miles turn right on Brattonsville Rd. In just over a half mile
- Turn Right into Draper WMA.
- Continue into the property and stay to the right at the split till you reach a loop with parking. We will meet here and determine our next steps.

Todd Johnston
Northern Regional Director

WALT SCHRADER TRAILS





LEGEND

-  BRATTON TRAIL
-  NATURE TRAIL
Hiking (No horses or bicycles)
-  HUCK'S DEFEAT BATTLEFIELD TRAIL
Interpretive trail (No horses or bicycles)
-  Connecting Trails
-  Trail Signs
Trail Signs really feel your location on the trails, each trail sign shows the trail's name and the same number as the symbol on this map.
-  Bridge

TRAILHEAD 1
 VISITORS CENTER
 PARKING

Historic Brattsonville is a
 smoke and pet free site.
 Thank you.



H. Cooper Black Jr. State Park
Chesterfield Co., SC
August 23, 2025

This list was produced by SCAN from sightings produced by SCAN members and is subject to revision as needed. An asterisk (*) indicates a new sighting for SCAN. Send any changes or corrections to Tom Austin at scnaturalists76@gmail.com. Please indicate exactly to which flora/fauna list you are referring to in the subject line of your message. Thank you.

LICHENS

Jester Lichen

Cladonia leporina

Dixie Reindeer Lichen

Cladonia subtenuis

Gold Dust Lichen

Chrysothrix sp.

FLORA

Ribbonwort

Pallavicinia lyellii

Peat Moss

Sphagnum sp.

Southern Bog Clubmoss

Lycopodiella appressa

Cinnamon Fern

Osmundastrum cinnamomeum

Bracken

Pteridium aquilinum

Ebony Spleenwort

Asplenium platyneuron

Virginia Chain Fern

Woodwardia virginica

Longleaf Pine

Pinus palustris

Pond Pine

Pinus serotina

Loblolly Pine

Pinus taeda

Virginia Pine

Pinus virginiana

Tulip-tree

Liriodendron tulipifera

Sweetbay

Magnolia virginiana

Swamp Bay

Persea palustris

Sassafras

Sassafras albidum

Colicroot

Aletris sp.

Sawtooth Greenbrier

Smilax bona-nox

Whiteleaf Greenbrier

Smilax glauca

Common Stargrass

Hypoxis hirsuta

Dwarf Iris

Iris verna

Blue-eyed-grass

Sisyrinchium sp.

Curlyleaf Yucca

Yucca filamentosa

Dayflower

Commelina erecta

Grassleaf Roseling

Callisia graminea

Yellow-eyed Grass

Xyris sp.

Bogmoss

Mayaca fluviatilis

Soft Rush

Juncus effusus

Rush

Juncus sp.

Toadrush

Bulbostylis sp.

Blue Sedge

Carex glaucescens

Fragrant Flatsedge

Cyperus odoratus

Starburst Flatsedge

Cyperus plukenetii

Umbrella Sedge

Cyperus sp.

Horsetail Spikerush

Eleocharis equisetoides

Spikerush

Eleocharis sp.

Hairy Umbrella-sedge

Fuirena squarrosa

Whitehead Sedge

Kyllinga odorata

Nodding Beaksedge

Rhynchospora inexpansa

Beaksedge

Rhynchospora sp.

Woolly Bulrush

Scirpus cyperinus

Nutrush

Scleria sp.

Dryland White Bluestem

Andropogon capillipes

Big Bluestem

Andropogon gerardii

Old-field Broomstraw

Andropogon virginicus

Carolina Wiregrass

Aristida stricta

Switch Cane

Arundinaria tecta

Bermuda Grass

Cynodon dactylon

Crowfoot Grass

Dactyloctenium aegyptium

Hairy Rosette-Grass

Dichantherium acuminatum

Needle-leaf Witchgrass

Dichantherium aciculare

Variable Witchgrass

Dichantherium commutatum

Velvet Witchgrass

Dichantherium scoparium

Witchgrass

Dichantherium sp.

Jungle-rice

Echinochloa colona

Yard Grass

Eleusine indica

Purple Lovegrass

Eragrostis spectabilis

Centipede Grass

Eremochloa ophiuroides

Maidencane

Hymenachne hemitoma

Panic Grass

Panicum sp.

Bahia Grass

Paspalum notatum

Vasey Grass

Paspalum urvillei

Little Bluestem

Schizachyrium scoparium

Foxtail Grass

Setaria sp.

Yellow Indiangrass

Sorghastrum nutans

Johnson Grass

Sorghum halepense

Redtop

Tridens flavus

Buttercup

Ranunculus sp.

Sweet Gum

Liquidambar styraciflua

Feathery Mermaid-weed	<i>Proserpinaca pectinata</i>	Black Cherry	<i>Prunus serotina</i>	Southeastern Noseburn	<i>Tragia urens</i>
Muscadine	<i>Vitis rotundifolia</i>	Southern Blackberry	<i>Rubus argutus</i>	Chamber Bitter	<i>Phyllanthus urinaria</i>
Virginia-creeper	<i>Parthenocissus quinquefolia</i>	Sand Blackberry	<i>Rubus cuneifolius</i>	Alternate-leaved Seedbox	<i>Ludwigia alternifolia</i>
Clusterspike False-Indigo	<i>Amorpha herbacea</i>	Southern Dewberry	<i>Rubus trivialis</i>	Water-willow	<i>Ludwigia leptocarpa</i>
Common Groundnut	<i>Apios americana</i>	Southern Red Oak	<i>Quercus falcata</i>	Narrowleaf Seedbox	<i>Ludwigia linearis</i>
Honestyweed	<i>Baptisia tinctoria</i>	Sand Laurel Oak	<i>Quercus hemisphaerica</i>	Meadow-beauty	<i>Rhexia mariana</i>
Wild Indigo	<i>Baptisia sp.</i>	Bluejack Oak	<i>Quercus incana</i>	Hairy Meadow-beauty	<i>Rhexia nashii</i>
Sensitive Partridge Pea	<i>Chamaecrista nictitans</i>	Turkey Oak	<i>Quercus laevis</i>	Ciliate Meadow-beauty	<i>Rhexia petiolata</i>
Atlantic Pidgeonwings	<i>Clitoria mariana</i>	Sand Post Oak	<i>Quercus margaretiae</i>	Virginia Meadow-beauty	<i>Rhexia virginica</i>
Matted Tick-trefoil	<i>Desmodium lineatum</i>	Blackjack Oak	<i>Quercus marilandica</i>	Winged Sumac	<i>Rhus copallinum</i>
Velvetleaf Ticktrefoil	<i>Desmodium viridiflorum</i>	Water Oak	<i>Quercus nigra</i>	Poison Oak	<i>Toxicodendron pubescens</i>
Tick-trefoil	<i>Desmodium sp.</i>	Pocosin Bayberry	<i>Morella caroliniensis</i>	Poison Sumac	<i>Toxicodendron vernix</i>
Downy Milkpea	<i>Galactia regularis</i>	Common Wax-myrtle	<i>Morella cerifera</i>	Red Maple	<i>Acer rubrum</i>
Milkpea	<i>Galactia volubilis</i>	Mockernut Hickory	<i>Carya tomentosa</i>	Arrowleaf Sida	<i>Sida rhombifolia</i>
Sandhill Milkpea	<i>Galactia brachypoda</i>	Tag Alder	<i>Alnus serrulata</i>	Canada Frostweed	<i>Crocantemum canadense</i>
Sericea Lespedeza	<i>Lespedeza cuneata</i>	St. Andrew's Cross	<i>Hypericum crux-andreae</i>	Appalachian Pinweed	<i>Lechea racemulosa</i>
Smooth Trailing Lespedeza	<i>Lespedeza repens</i>	Pinweed	<i>Hypericum gentianoides</i>	Common Shepherd's Purse	<i>Capsella bursa-pastoris</i>
Virginia Lespedeza	<i>Lespedeza virginica</i>	St. Andrew's Cross	<i>Hypericum hypericoides</i>	Waterpepper	<i>Persicaria hydropiperoides</i>
Blue Sandhill Lupine	<i>Lupinus diffusus</i>	Lloyd's St.-John's-wort	<i>Hypericum lloydii</i>	Pink Sundew	<i>Drosera capillaris</i>
Eastern Sensitive-briar	<i>Mimosa microphylla</i>	Dwarf St.-John's-wort	<i>Hypericum mutilum</i>	Smooth Amaranth	<i>Amaranthus hybridus</i>
Dollarweed	<i>Rhynchosia reniformis</i>	Canada St. John's wort	<i>Hypericum canadense</i>	Florida Cottonweed	<i>Froelichia floridana</i>
Black Locust	<i>Robinia pseudoacacia</i>	St.-John's-wort	<i>Hypericum sp.</i>	Carpetweed	<i>Mollugo verticillata</i>
Bladderpod	<i>Sesbania vesicaria</i>	Common Marsh St.-John's-wort	<i>Triadenum virginicum</i>	Broadleaf Pink Purslane	<i>Portulaca amilis</i>
Pencil-flower	<i>Stylosanthes biflora</i>	Primrose-leaf Violet	<i>Viola primulifolia</i>	Eastern Prickly-Pear	<i>Opuntia humifusa</i>
Virginia Goat's-rue	<i>Tephrosia virginiana</i>	Passionflower	<i>Passiflora incarnata</i>	Swamp Tupelo	<i>Nyssa biflora</i>
Red Clover	<i>Trifolium pratense</i>	Rhombic Copperleaf	<i>Acalypha rhomboidea</i>	Flowering Dogwood	<i>Cornus florida</i>
Orange Milkwort	<i>Polygala lutea</i>	Tread-softly	<i>Cnidioscolus stimulosus</i>	American Persimmon	<i>Diospyros virginiana</i>
Red Chokeberry	<i>Aronia arbutifolia</i>	White Sandhills Spurge	<i>Euphorbia curtisii</i>	Sweetleaf	<i>Symplocos tinctoria</i>
Running Five-fingers	<i>Potentilla canadensis</i>	Milk-purslane	<i>Euphorbia maculata</i>	Ti-ti	<i>Cyrilla racemiflora</i>

Huckleberry	<i>Gaylussacia sp.</i>	Smooth Winterberry	<i>Ilex laevigata</i>	Pineland Silkgrass	<i>Pityopsis aspera</i>
Shining Fetterbush	<i>Lyonia lucida</i>	American Holly	<i>Ilex opaca</i>	Grass-leaved Golden-aster	<i>Pityopsis graminifolia</i>
Staggerbush	<i>Lyonia mariana</i>	Nuttall's Lobelia	<i>Lobelia nuttallii</i>	Fragrant Rabbit-tobacco	<i>Pseudognaphalium obtusifolium</i>
Sparkleberry	<i>Vaccinium arboreum</i>	Wahlenbergia	<i>Wahlenbergia marginata</i>	Twisted-leaf White-top Aster	<i>Sericocarpus tortifolius</i>
Southern Blueberry	<i>Vaccinium tenellum</i>	Eastern Green-eyes	<i>Berlandiera pumila</i>	Rosinweed	<i>Silphium compositum</i>
Honey-cups	<i>Zenobia pulverulenta</i>	Sandhill Chaffhead	<i>Carphophorus bellidifolius</i>	Licorice Goldenrod	<i>Solidago odora</i>
Buttonbush	<i>Cephalanthus occidentalis</i>	Sandhill Thistle	<i>Cirsium repandum</i>	Long-stalked Aster	<i>Symphotrichum dumosum</i>
Large Buttonweed	<i>Diodia virginiana</i>	Longstalk Coreopsis	<i>Coreopsis lanceolata</i>	Flatwoods Ironweed	<i>Vernonia acaulis</i>
Poorjoe	<i>Hexasepalum teres</i>	Woodland Coreopsis	<i>Coreopsis major</i>	Sandhill Ironweed	<i>Vernonia angustifolia</i>
Rough Mexican-clover	<i>Richardia scabra</i>	Larkspurleaf Tickseed	<i>Coreopsis delphiniifolia</i>	Centella	<i>Centella erecta</i>
Old-World Diamond Flower	<i>Oldenlandia corymbosa</i>	Fireweed	<i>Erechtites hieraciifolius</i>	Black Knot	<i>Dibotryon morbosum</i>
Carolina Jessamine	<i>Gelsemium sempervirens</i>	Daisy Fleabane	<i>Erigeron strigosus</i>	Golden Reishi	<i>Ganoderma curtisii</i>
Wand Hornpod	<i>Mitreola sessilifolia</i>	Common Horseweed	<i>Erigeron canadensis</i>	Green-spored Parasol	<i>Chlorophyllum molybdites</i>
Wild Sweet Potato	<i>Ipomoea pandurata</i>	Tropical Horseweed	<i>Erigeron bonariensis</i>	The Blusher	<i>Amanita amerirubescens</i>
Common Dawnflower	<i>Stylisma patens</i>	White-bracted Thoroughwort	<i>Eupatorium album</i>	Pale Bitter Bolete	<i>Tylopilus rhoadsiae</i>
Sword Groundcherry	<i>Physalis lanceolata</i>	Coastal Dog-fennel	<i>Eupatorium compositifolium</i>	Dyeball	<i>Pisolithus sp.</i>
Carolina Horsenettle	<i>Solanum carolinense</i>	Hyssopleaf Eupatorium	<i>Eupatorium hyssopifolium</i>	Brittle-gill	<i>Russula sp.</i>
Polypremum	<i>Polypremum procumbens</i>	Ragged Eupatorium	<i>Eupatorium pilosum</i>	Puffball	<i>Lycoperdon sp.</i>
English Plantain	<i>Plantago lanceolata</i>	Narrowleaf Bushy Thoroughwort	<i>Eupatorium linearifolium</i>		
Oak Mistletoe	<i>Phoradendron leucarpum</i>	Eupatorium	<i>Eupatorium sp.</i>		FAUNA
Shortspur Creeping Bladderwort	<i>Utricularia gibba</i>	Carolina Goldentop	<i>Euthamia caroliniana</i>	Common House Spider	<i>Parasteatoda tepidariorum</i>
Carolina-vervain	<i>Stylodon carneus</i>	Pennsylvania Everlasting	<i>Gamochaeta pennsylvanica</i>	Yellow Garden Spider	<i>Argiope aurantia</i>
Brazilian Vervain	<i>Verbena brasiliensis</i>	Spoonleaf Purple Everlasting	<i>Gamochaeta purpurea</i>	Lined Orbweaver	<i>Mangora gibberosa</i>
Beautyberry	<i>Callicarpa americana</i>	Brazilian Cat's-ear	<i>Hypochaeris chillensis</i>	Arabesque Orbweaver	<i>Neoscona arabesca</i>
Bugleweed	<i>Lycopus sp.</i>	Spotted Cat's-ear	<i>Hypochaeris radicata</i>	Mabel Orchard Orbweaver	<i>Leucauge argyroabpta</i>
Common Blue Curls	<i>Trichostema dichotomum</i>	Grass-leaved Lettuce	<i>Lactuca graminifolia</i>	Shore Spider	<i>Pardosa milvina</i>
Southern Oak-leech	<i>Aureolaria pectinata</i>	Small-head Blazing-star	<i>Liatris microcephala</i>	Rabid Wolf Spider	<i>Rabidosa rabida</i>
Big Gallberry	<i>Ilex coriacea</i>	Blazing-star	<i>Liatris sp.</i>	Striped Lynx Spider	<i>Oxyopes salticus</i>
Little Gallberry	<i>Ilex glabra</i>	Appalachian Ragwort	<i>Packera anonyma</i>	Brilliant Jumper	<i>Phidippus clarus</i>
				Jumping Spider	<i>Eris flava</i>

Harvestman	<i>Hadrobunus grandis</i>	Southern Bee-Killer	<i>Mallophora orcina</i>	Least Skipper	<i>Ancyloxypha numitor</i>
Green-striped Grasshopper	<i>Chortophaga viridifasciata</i>	Systoechus Bee Fly	<i>Systoechus sp.</i>	Fiery Skipper	<i>Hylephila phyleus</i>
Spur-throat Grasshopper	<i>Melanoplus bispinosus</i>	Comet Darner	<i>Anax longipes</i>	Eufala Skipper	<i>Lerodea eufala</i>
American Bird Grasshopper	<i>Schistocerca americana</i>	Amanda's Pennant	<i>Celithemis amanda</i>	Four-barred Gray	<i>Aethalura intertexta</i>
Field Cricket	<i>Gryllus sp.</i>	Red-veined Pennant	<i>Celithemis bertha</i>	Fall Webworm Moth	<i>Hyphantria cunea</i>
Eastern Subterranean Termite	<i>Reticulitermes flavipes</i>	Calico Pennant	<i>Celithemis elisa</i>	Bollworm Moth	<i>Helicoverpa sp.</i>
Brown Stink Bug	<i>Euschistus sp.</i>	Banded Pennant	<i>Celithemis fasciata</i>	Vetch Looper Moth	<i>Caenurgia chloropha</i>
Water Strider	<i>Metrobates hesperius</i>	Eastern Pondhawk	<i>Erythemis simplicicollis</i>	Ruined Chocolate	<i>Argyrostromis deleta</i>
Annual Cicada	<i>Neotibicen sp.</i>	Little Blue Dragonlet	<i>Erythrodiplax minuscula</i>	Eastern Mosquitofish	<i>Gambusia holbrooki</i>
Red Bay Gall Psyllid	<i>Trioza magnoliae</i>	Golden-winged Skimmer	<i>Libellula auripennis</i>	Largemouth Bass	<i>Micropterus salmoides</i>
Woolly Alder Aphid	<i>Prociphilus tessellatus</i>	Blue Dasher	<i>Pachydiplax longipennis</i>	Southern Cricket Frog	<i>Acris gryllus</i>
American Cochineal Bug	<i>Dactylopius confusus</i>	Common Whitetail	<i>Plathemis lydia</i>	Yellow-bellied Slider	<i>Trachemys scripta scripta</i>
Velvet Ant	<i>Pseudomethoca sp.</i>	Spreadwing Damselfly	<i>Lestes sp.</i>	Eastern Ratsnake	<i>Pantherophis alleghaniensis</i>
Common Eastern Velvet-ant	<i>Dasymutilla occidentalis</i>	Punctured Tiger Beetle	<i>Cicindela punctulata</i>	Timber Rattlesnake	<i>Crotalus horridus</i>
Velvet Ant	<i>Dasymutilla bioculata</i>	Pedunculate Ground Beetle	<i>Pasimachus subsulcatus</i>	Great Egret	<i>Ardea alba</i>
Velvet Ant	<i>Dasymutilla ursus</i>	Dung Beetle	<i>Phanaeus vindex</i>	Killdeer	<i>Charadrius vociferus</i>
Feather-legged Scoliid Wasp	<i>Dielis plumipes</i>	Carrot Beetle	<i>Ligyris gibbosus</i>	Least Sandpiper	<i>Calidris minutilla</i>
Red Imported Fire Ant	<i>Solenopsis invicta</i>	Seven-spotted Lady Beetle	<i>Coccinella septempunctata</i>	Turkey Vulture	<i>Cathartes aura</i>
Carpenter Ant	<i>Camponotus sp.</i>	Bean Leaf Beetle	<i>Cerotoma trifurcata</i>	Mississippi Kite	<i>Ictinia mississippiensis</i>
Pyramid Ant	<i>Dorymyrmex sp.</i>	Palamedes Swallowtail	<i>Papilio palamedes</i>	Northern Bobwhite	<i>Colinus virginianus</i>
Paper Wasp	<i>Polistes annularis</i>	Sleepy Orange	<i>Abaeis nicippe</i>	Mourning Dove	<i>Zenaida macroura</i>
Red Paper Wasp	<i>Polistes carolina</i>	Little Yellow	<i>Pyrisitia lisa</i>	Belted Kingfisher	<i>Megaceryle alcyon</i>
Blue-black Spider Wasp	<i>Anoplius sp.</i>	Red-banded Hairstreak	<i>Calycopsis cecrops</i>	Red-bellied Woodpecker	<i>Melanerpes carolinus</i>
Bumblebee	<i>Bombus impatiens</i>	Variiegated Fritillary	<i>Euptoieta claudia</i>	Red-headed Woodpecker	<i>Melanerpes erythrocephalus</i>
Hickory Tube Gall Midge	<i>Caryomyia tubicola</i>	Common Buckeye	<i>Junonia coenia</i>	Downy Woodpecker	<i>Dryobates pubescens</i>
Hickory Midrib Gall Midge	<i>Caryomyia sp.</i>	Southern Cloudywing	<i>Thorybes bathyllus</i>	Red-cockaded Woodpecker	<i>Leuconotopicus borealis</i>
Gall Midge	<i>Asphondylia pseudorosa</i>	Horace's Duskywing	<i>Erynnis horatius</i>	Eastern Kingbird	<i>Tyrannus tyrannus</i>
Horsefly	<i>Hybomitra sp.</i>	Zarucco Duskywing	<i>Erynnis zarucco</i>	Great Crested Flycatcher	<i>Myiarchus crinitus</i>
Hanging Thief	<i>Diogmites crudelis</i>	Swarthy Skipper	<i>Nastra lherminier</i>	Eastern Wood-pewee	<i>Contopus virens</i>

Barn Swallow

Hirundo rustica

Blue Jay

Cyanocitta cristata

American Crow

Corvus brachyrhynchos

Brown-headed Nuthatch

Sitta pusilla

Blue-gray Gnatcatcher

Polioptila caerulea

Eastern Bluebird

Sialia sialis

American Robin

Turdus migratorius

Loggerhead Shrike

Lanius ludovicianus

Northern Mockingbird

Mimus polyglottos

Brown Thrasher

Toxostoma rufum

Blue Grosbeak

Passerina caerulea

Eastern Meadowlark

Sturnella magna

Summer Tanager

Piranga rubra

White-tailed Deer

Odocoileus virginianus